

PRODUCT SPECIFICATIONS

TL-100

Compact portable rechargeable light tower

Portable
Light
Tower



EXPAND OR COLLAPSE WITHIN 1 SECOND

World's lightest portable light tower, one second operation.

Grab and lift the lamp head to 1.4m for automatic locking; tap down to reset and lock.



LIGHT HEAD FREELY ADJUSTABLE

Built-in damping enables tool-free light head adjustment with a finely-tuned, perfect tactile feel.



LIGHTEST WEIGHT 1.4M LIGHT TOWER

Super light-weight, with a handgrip for ease of use and handling



Ultra-long Working Hours (D24-100)

Standard mode >8 hours

Eco mode >44 hours



2 types of battery packs with different capacities are available.



D24-54

Typical working hours 22+ hours
in Eco mode.



D24-100

Typical working hours up to 44
hours in Eco mode

ONE-KEY ADJUSTMENT FOR MULTIPLE BRIGHTNESS MODES

ECO

450LM

Balanced

1500LM

Standard

2500LM

Turbo

4000LM

44h

16.8h

8.5h

4.2h

Battery-powered up to

4000LM





Construction



Maintenance



Road Rescue



Camping



Repair Railway



Emergency



Sports

One person operation

Less than 2.9Kg excluding battery.

1.4m



0.9m




Specifications

TL-100

Height	0.9m-1.4m
Weight	2.9kg
Power Supply	D24 series battery pack
Lumens	0-4,000Lm
Run Times	>8 hours (Standard mode, D24-100)
IP Grade	IP66



Size (mm)



Package

Model	TL-100
Size of Carton	930x245x260mm
Gross Weight of Carton	6.5kg
PC S/Carton	1

